

# REEF ICP TEST



**Sample ID:** 01806243

Sample type: Seawater

Volume aquarium in Litre: 425

Sample name: Redsea 425 G2

Sampling date: 11-28-2023

Date of receipt: 12-04-2023

to the detailed online analysis:

<https://lab.fauamarin.de/en/home/analysis/101137>

Method: ICP-OES (inductively coupled plasma with optical emission spectrometry) specifically for seawater.

Recommended values are optimized for coral reef aquariums.

For the one-time correction of a deficiency, the quantity of Fauna Marin Elementals to be dosed is displayed adapted to your aquarium. A click on the product name takes you to the shop.

Further help can be found in your Lab-Account and here:

[Fauna Marin Knowledge Base](#)

[Reef 2 Reef](#)

[Fauna Marin Reefing Group on Facebook](#)

## Major elements, lime elements and halogens in mg/litre (1 mg = 0,001 g)

### Recommended dosage Elementals

		measured	reference range		in ml	spread over ... days	Product
Sodium	Na	10835	9500	- 11500			
Sulphur	S	856	850	- 900 - 950			
Potassium	K	407	380	- 395 - 420			Elementals K
Boron	B	7.14	3,8	- 4,5 - 5,5			Elementals B
Magnesium	Mg	1284	1200	- 1350 - 1450			Elementals Mg
Calcium	Ca	370	400	- 425 - 440			
Strontium	Sr	6.28	6,5	- 8 - 9	37	1	Elementals Sr
Iodine (Total Iodine)	I	0.059	0,055	- 0,065 - 0,08			Elementals Trace I
Bromine	Br	70.5	55	- 65 - 75			Elementals Br

## Macronutrients

in mg/litre (1 mg = 0,001 g)

### Recommended dosage Elementals

		measured	reference range		in ml	spread over ... days	Product
Phosphorus (ICP-OES)	P	0.023	< 0,06				Elementals P
Total Phosphate (calculated)	PO <sub>4</sub> <sup>3-</sup> tot.	0.071	0,02	- 0,10			
Silicon	Si	0.42	0,1	- 0,2			

## Physiologically relevant trace elements and color-relevant micronutrients in µg/litre (1 µg = 0,000001 g)

### Recommended dosage Elementals

		measured	reference range		in ml	spread over ... days	Product
Zinc	Zn	0.74	3	- 8	2	2	Elementals Trace Zn
Vanadium	V	1.57	2	- 10	3,8	3	Elementals Trace V
Copper	Cu	4.35	2	- 6			Elementals Trace Cu
Nickel	Ni	1.17	3	- 6	3,5	1	Elementals Trace Ni
Manganese	Mn	0.32	0,10	- 0,25			Elementals Trace Mn
Molybdenum	Mo	28.7	10	- 20			Elementals Trace Mo
Iron	Fe	n.n.	0,05	- 2,5	1,6	2	Elementals Trace Fe
Chrome	Cr	n.n.	0,05	- 2,3	10	3	Elementals Trace Cr
Cobalt	Co	n.n.	0,02	- 1,9	1,1	1	Elementals Trace Co

## Other trace elements and potentially harmful substances in µg/litre (1 µg = 0,000001 g)

### Recommended dosage Elementals

		measured	reference range		in ml	spread over ... days	Product
Lithium	Li	190	180	- 350			Elementals Trace Li
Barium	Ba	29.3	5	- 50			Elementals Trace Ba
Aluminium	Al	n.n.	5	- 30			
Antimony	Sb	n.n.	< 10				
Tin	Sn	5.9	< 10				
Beryllium	Be	n.n.	0,1	- 1,4			
Selenium	Se	n.n.	0,9	- 5,5			
Silver	Ag	n.n.	< 10				
Tungsten	W	n.n.	< 30				
Lanthanum	La	n.n.	2	- 10			
Titanium	Ti	n.n.	0,5	- 3,5			
Zirconium	Zr	n.n.	1,0	- 2,2			
Arsenic	As	n.n.	< 1				
Cadmium	Cd	n.n.	< 1				
Mercury	Hg	n.n.	< 1				
Lead	Pb	n.n.	< 1				

Measured values of type "> 24" indicate that the concentration is above the calibrated range and therefore cannot be definitely determined. In these cases the highest detectable value is indicated (e.g. 24 µg/l), the actual value may be higher. Abbreviations: n.g. (not measured), n.n. (not detectable).